Department of Natural Resources WATER & GVHigh Capacity, School or Wastewater Treatment Plant Well Approval Application

dnr.wi.gov

dnr.wi.gov

Notice: Prior department approval in required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4Xa), Wisconsin Administrative Code. Personally Identifiable Information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This Information will be addressable under Wisconsin's Open Records Laws, so. 19.32 - 19.39, Wis. Stats, and is unlikely to be used for other purposes.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to mostly a well on a high capacity property, as required by NR 812.08(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under the NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or

more duploxes is regulated under ch. NR 81	1, Wis. Adm. Code. See NR 8	511.01, Wis. Ad	m, Code for appl	icapanty reduin	ments.	,	
Applicant Information	<u> </u>		<u> </u>				
Application Prepared By (Name and Title)		LOUGLACE WELL DRILLING					
Street Address		City	3		State	53923	
	Cty			T	33763		
W4310	Fax Number		E-Mall Address			9	
Telephone Number	608-405-1114		melissa	Lpc@+	ds,	net	
970286 6878	1 600, 100, 1111		1		1		
Property Ownership Information	(Name of Downs and Wife)	Company					
Property owner, If different then applicant Ross MANT IT	Name of Person and The				State	ZIP Code	
Street Address W 4671 /AUG 14	n'RD	PAR	066 1		UL	53984	
The Landbloom has	Fax Number		E-Mail Address	1			
(608) 712-82-30							
	1,		****				
Wall Operator Information .	a of Paran and Title)	Company				*	
Well operator if different than owner (Nam ROSS MANT	HEV	50					
the state of the s		Ĉity	~		State	ZIP Code	
Street Address		1.3					
	E Number		E-Mail Address	3			
Telephone Number	Fax Number						
			ـــــــــــــــــــــــــــــــــــ				
Property Information	<u>,                                    </u>		hi proparty If the	property le no	design	ated as a high capacity	
Property Information  Enter the High Capacity Well File Number to property at the time of application, enter "No or use the compact disk of departmental we							
or use the compact disk of departmental we "Location" section. File number formative as	(Monoto (1 or 5 t 3	nty) - (1 mgit roi	Mi	gh Capacity W	ell File	No.	
County	Town	ulo		05	7	22	
Columbia	Sprin	1 var	<del>,</del>		-		
Submittel Purpose							
Chack all that analy:		7.22 277 1					
- u san a moust wolle with	a capacity greater than 70	gallons per r	ninute.	asibi usoni	orts.		
Install one or more new wells with	e capacity less than 70 ga	allons per min	we on a men c	apacity propi	ily.		
[]	conscity greater than 70 d	tallous bat tim	iule.				
Devloor and or more wells with a	capacity less than 70 gallo	ons per minute	a du a nigni cap	acity propert	у.		
	the a according greater than	70 gallons per	Hilliaro.			d	
T a set of and at more wolle wi	th a capacity less than /U s	gallous her in	HIGGS OU G W.B.	capacity pro	perty.	,	
	and walle to a rate areales	r in an orewou	Sly appidocu.		23		
Increase pumping rate in one or n  Request continued operation of h	ich canacity welle after a c	hange In own	ership. (No ap	plication fee	require	nd.)	
Hednest counting obelation of the	as expired						
Renew a previous approved that h Well (or wells) will serve a school	ias copiles.	ojant. Šaa de	finitions on pag	je 5.			
			w 8 #				
Other, explain				,			

			Form 3300-256	(R 7/05)	Page 2 of 6
Site	Stal	uus information		<del> </del>	
and	the I	ne the site status using the internet or the compact disk of departmental well data that i information supplied by the property owner. Internet address is <a href="mailto:document-declarations">document-declarations</a> declarations.	s lasued to drill voldwa.hlm. Er	ers and pun iter YES or	np installers NO for each
YES	NG M		al was issued?	If the prope	erty is not
		Has there been a change in well ownership since the last approval was written? If YES, name of current owner.	Date of purchas	63	
d		Has there been a change in wall operator since the last approval was written? If YES, name of current operator.  Manthey	Date of change:		1144
	Q	Will a proposed well be connected to a plumbing system that is supplied by other sou supply, etc.)? If YES, include a schematic drawing showing backflow protection.	rtoca (other we)	is, municipa	ď
	<b>Ø</b>	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills no ompact disk FIND feature. Enter the township, range and section of the well location also oback the adjacent section or sections.  If YES, list the landfill site ID Number:  OR Landfill location; (Township)	, if the well is n	ear a sectio	nation in line,
Ο,	Ø	ls a proposed well on a property that has a conteminated site? If YES, list the BRRTS Redevelopment Tracking System) Number here and specify if the site is open or close	ed: -	emediation Open	end Closed
	Ø	is a proposed well on a property that has a groundwater use restriction recorded on the number, as assigned to the contaminated sits by the DNR remediation and redevelop	ne deed? If YE ment program:	S, list the B	RRTS
	d	Is a proposed well on a property that is listed on the department's registry of closed repetition? See compact disk or internet at			

					F	orm 3300-25	8 (R 7/05)	Page 3 of
Existing Well Information			,					•
Enter the following information of	n all existing	welle on the	property, if	nore than for	if wells, subr	nit additional	sheets:	
Well Name Assigned by Well Owner (North Well, etc.):	House	well	Farm	well				
Well Number Assigned by Owner (001, 002, etc.):								
Wi Unique Well Number or NA if no number:								
Permanent DNR High Capacity Well Number or NA if none:								
Public Water Bystem ID Number, if Public (if not public NONE):								
Potable or Non-Potable Use:	Pote	باو	Pot	able				
Type of Well (Imgadon, Industrial, Residential, etc.):	Res.		Gar	M				
Requested Averson Water Usage per Day in Gallons:					,			
Requested Maximum Water Usage per Day in Gallons:	,							
Seasonal? (April to October, Year Around, etc.):	Year	around	Year	Around				
Approved Pumping Capacity if Previously Approved (opm):		. GPM	1.	GPM				
Current Pump Type & Capacity (gpm)		61	506	lr				
Proposed Fump Type & Capacity If Change Requested (gpm):								
Pump Discharge Type (Over Top of Caeing Seel, Pittess, etc.):	P:+10	-50	Pi+	less				
Discharge Location (Building Pressure Tank, Pond, etc.):	<u> </u>	I tenk	Buildo	Presso				
Height of Wall Cazing Above Ground in Inches:	12	1	1211	<del>,</del>				
Potential Contaminent Sources and Distances:								
Well Loc Quarter Quarter Section	1/4	of 1/4	1/4	of 1/4	1/4	of 1/4	1/4	of 1/4
or Government Let Mumber	2		2					
Section or French Long Let No.	G		G					
Township:	T /2	N	T /2	N	т	N	T	Ŋ
Range (Saled E or W):	R //	DE UW	R //	WE DW	R	□E □W	R	TE W
Latitude (Degrees and Minutes)	43.3	3317	43.3	3275	٥		D	1
	089 0 /	427	089.1	4.115	٥		9	
GPS Map Datum (WGS84,					7770.70			
WTM91, etc.) Include 29 much of the following informwell construction record to attached, at	nation as practi	cal for walls th	hat do not have	well construc	tion records at	tached to the	application, ho	wever if the
Date of Construction:	7	3.4 3.4 3.4 3.4	Early	70's				
Drilled by (Name of Drilling Firm):	?		7			,		
Drilling Method(s) (Rotary, Percussion, Etc.)			ۮ		•			
Well Depth in Feet	Ş		?.					,
Upper Enlarged Drillhola Diameter in Inches and Depth in Feet	inchee,	? teat	Inchae.	faet	inchee,	feet	inches,	feet
Lower Orlihole Diameter in Inches and Depth in Feet	6 inches	₹ feet	6 inches,	fset	inches,	feet	inches,	fşet.
Well Casing Diameter in Inches and Depth in Feet	6 inches	feet	6 inches,	feet	inches.	feet	inches,	feet
Well Casing Material and Wall Thickness:	280		280					
Annular Space Material Between Casing and Dillhole Wall:		>	}					
is There a Well Screen (Y or N) If so, Screen Material?:	N		N					

Form 3300-258 (R 7/05) Page 4 of 8 Proposed Well Information Enter the following information on all proposed wells on the property, if more than two wells or alternate construction, submit additional sneats: Well Name Assigned by Well Owner (North Well, etc.): Well Number Assigned by Owner (001, 002, คtc.): Well Loc: Quarter Quarter Section or French Long Lot Number 1/4 of 1/4 of Section 1/4 of 1/4 of Section or Gavernment Lot Number ∏у Township & Range (Select E or W) N.R Z 0 ò Latitude (Degrees and Minutes) ٥ Longitude (Degrees and Minutes) GPS Map Datum (WG584. WTM91, etc.) Potable Potable Non-Potable Type of Well (Intgation, Industrial, Residential, etc.): Non-Potable Туре: Түрө: Driffing Method(e) (Rotary, Percussion, Etc.): <u>20</u> tary Anticipated Geological Meterials and Depths that Are Expected During Drilling: 0' to Material and Dopth Interval: 0 to from from ¹ to from Material and Dooth interval: ' to from ' to mom Material and Dopth Interval: ' to from ' lo to from Malerial and Depth Interval: from fram ' to Majorial and Depth Interval: <u>' to</u> from Drillhola Diameter and Anticipated Depth Intervals: 45 **' t**q ' to from Digneter and Depth Interval: 15 non 3 Z C , lo Dlameter and Depth Interval: to from from ' Б from Diamater and Depth interval: from Permanent Csping or Liner Diameter and Well Thickness at Anticipated Depth Intervals: Diameter and Wall Thickness 2 dany 330 thick 0 to 0' 10 45 " thick \* dlam/ at Danth Interval: Diamster and Wall Thickness ' to \* di<u>am/</u> " thick ' to " thick at Death Interval;
Permanent Cosing or Unor Material , If Used: Casing Joints (Welded, T and C. ctc. Material and Weight Q" to lbs/foot et Oepih interval: Material and Weight 0' <u>to</u> lbs/foot , to ' to lbg/foot lbs/foot Byratni rtiged to Screen Material, Slot Size in Inches 'to and Depth Interval or N/A if none: ' <u>to</u> Casing to Screen Joint (Welded, T and C, K Packer, etc. Annular Space Material Including Filter Pack Material, if Used: 0. m72 and Cuttered 0, 10 Material and Depth Interval: ' to Material and Depth Interval: Proposed Average Water Usage Per Day in Gallons: Proposed Maximum Weter Usage Per Day in Gallens: Seasonal? (April to October, Year Around, etc.): Proposed Pump Type & Capacity (gpm): Discharge Type (Over Top of Casing Seal, Pittess Adapter or Unit): Discharge Location (Building Pressure Tank, Pond, etc.): PardeeVille Distance and Direction to Nearest Public Utility Wall & Well Name: Distance to Other Potential Contaminant Sources: Distance to Other Potential Contaminant Sources: Leave Blank, for Department use only

Form 3300-256 (R 7/05)

Page 5 of 6

## Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Wall Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is configurous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wellands; potential contaminant sources (septio tank and drainfield, petroleum storage tanks, newer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for exemple an irrigation well in the middle of a field, state that on the property map fisted above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or alte well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitters, over top of casing sanitary seal); the water line from on provenions underlined the research institute are well preventers; air gaps; manually operated valves; water include the well; pressure tanks; sampling faucets; check valves; backnow preventers; air gaps; manually operated valves; water includes; pressure switches for pumps; and any other perlinent fittings. This achievable drawing must also identify which of these components are burled or above ground. If there is more than one check valve within the well casing, include in-well check valves on the
- 6. If reconstruction of an existing wall is proposed, include a diagram of the current well construction and a diagram of the proposed
- If the application is for a high capacity well or wells, a \$500,00 check payable to the Department of Natural Resources, unless the
  application is only for continued operation after a change of ownership.

Certification and Applicant Signatures If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other vertance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must sign the application. Otherwise, an agent of the owner may eign the application.

Unsigned and Incomplete applications will not be approved.

By eligning this form, the person signing this application certifies that to the best of his or her knowledge, ell existing well installations on the property comply with ch. NR 812. Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information In the application is accurate and correct.

In the application to governor	Chack Box	
Nama - Print MANTHEY	Owner	Agent of the Owner
ROSS MATILITY		Date
Signature		4-29-17
Application submittal. Mail completed application and payment with all required a	attachments to DNR, F	rivate Water Systems
Rection - DG/2, PO Box 7821, Medison VII 30747-1321		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
magathana from Wilsonish Administrative Codes	40.07/51))	Company of the second s

"High capacity well" means a well constructed on a high capacity property. [NR 812,07(51)]

"High capacity property" means one property on which a high capacity wall system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts an one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate, [NR 812.07(63)]

"Public water system" means a system for the provision to the public of piped water for human consumptions it such system has at least 16 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water least 16 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system. (NR (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. (NR R2 07/80))

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers end Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial weatewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), State. (b) Pretreatment facilities from types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), State. (b) Pretreatment facilities which consist solely of a which efficiency that the table of the treatment of sanitary or industrial weatewater treatment facilities which consist solely of a which efficiency that the table of the treatment of sanitary or industrial weatewater or both. The following land disposel system. [NR 114,03(14)]

Form 3300-258 (R 7/05) Page 8 of 8

